


SKIN ULTRA BOTTOM TAIL SHORT CONNECTORS

View from the user side

Standard sizes (mm)
All information is ± 1 mm

Aspect Ratio 16:9

Diagonal	W Active	H Active	W Cut	H Cut	B Top	B Left	B Right	B Bottom	T Offset	T Length
30	664	374	704	424	20	20	20	30	6	35
32	699	393	739	443	20	20	20	30	24	35
40	886	498	926	548	20	20	20	30	117	35
42	930	523	970	573	20	20	20	30	139	35
43	941	530	981	580	20	20	20	30	145	35
46	1019	573	1059	623	20	20	20	30	184	35
47	1040	585	1080	635	20	20	20	30	194	35
48	1063	598	1103	648	20	20	20	30	206	35
49	1074	604	1114	654	20	20	20	30	211	35
50	1107	623	1147	673	20	20	20	30	228	35
52	1150	648	1190	698	20	20	20	30	249	35
55	1210	681	1250	736	20	20	20	35	279	35
57	1252	704	1292	759	20	20	20	35	300	35
58	1284	722	1324	777	20	20	20	35	316	35
60	1328	747	1368	802	20	20	20	35	338	35
65	1429	804	1469	864	20	20	20	40	389	35
68	1505	847	1545	907	20	20	20	40	427	35
70	1550	872	1590	932	20	20	20	40	449	35
72	1594	897	1634	957	20	20	20	40	471	35
74	1638	922	1678	982	20	20	20	40	493	35
75	1651	929	1691	989	20	20	20	40	500	35
80	1771	997	1811	1057	20	20	20	40	560	35
82	1815	1021	1855	1081	20	20	20	40	582	35
84	1860	1046	1900	1106	20	20	20	40	604	35
85	1882	1059	1922	1119	20	20	20	40	615	35
90	1990	1121	2030	1181	20	20	20	40	669	35
98	2159	1215	2199	1275	20	20	20	40	754	35
100	2210	1245	2250	1305	20	20	20	40	779	35
105	2325	1308	2365	1368	20	20	20	40	837	35





		A3			
Material: SKIN - Polymer foil PCB - Fiberglass board Flex Cable - Polyester film		Date: 28/03/2017		Title: DISPLAX SKIN ULTRA STANDARD DRAWINGS	
		Drawn by: DISPLAX			
Projection: Third Angle Projection 		Dimensions: Diagonal sizes in inches Other dimensions in millimeters		Document code MKT.224.16	
				Sheet 1 of 3	

SKIN ULTRA SIDE TAIL SHORT CONNECTORS

Standard sizes (mm)
All information is ± 1 mm

Aspect Ratio 16:9



Diagonal	W Active	H Active	W Cut	H Cut	B Top	B Left	B Right	B Bottom	T Offset	T Length
55	1210	681	1280	741	30	40	30	30	25	35
57	1252	704	1322	764	30	40	30	30	36	35
58	1284	722	1354	782	30	40	30	30	45	35
60	1328	747	1398	807	30	40	30	30	58	35
65	1429	804	1499	864	30	40	30	30	86	35
68	1505	847	1575	907	30	40	30	30	108	35
70	1550	872	1620	932	30	40	30	30	120	35
72	1594	897	1664	957	30	40	30	30	133	35
74	1638	922	1708	982	30	40	30	30	145	35
75	1651	929	1721	989	30	40	30	30	149	35
80	1771	997	1841	1057	30	40	30	30	183	35
82	1815	1021	1885	1081	30	40	30	30	195	35
84	1860	1046	1930	1106	30	40	30	30	207	35
85	1882	1059	1952	1119	30	40	30	30	214	35
90	1990	1121	2060	1181	30	40	30	30	245	35
98	2159	1215	2229	1275	30	40	30	30	292	35
100	2210	1245	2280	1305	30	40	30	30	307	35



		A3			
Material: SKIN - Polymer foil PCB - Fiberglass board Flex Cable - Polyester film		Date: 28/03/2017		Title: DISPLAX SKIN ULTRA STANDARD DRAWINGS	
Projection: Third Angle Projection 		Drawn by: DISPLAX			
				Document code MKT.224.16	
				Sheet 2 of 3	

SKIN ULTRA




SHORT CONNECTORS



Values in mm
All information is $\pm 0,5$ mm

Touch Controller dimensions

Screw diameter: M3 or M3.5



		A3		
Material: SKIN - Polymer foil PCB - Fiberglass board Flex Cable - Polyester film		Date: 28/03/2017		
Projection: Third Angle Projection		Dimensions: Diagonal sizes in inches Other dimensions in millimeters		Document code MKT.224.16
				Sheet 3 of 3